"A chaotic lattice field theory in two dimensions"

Predrag Cvitanović and Han Liang

WHAT IS NEW

Purple text, such as Eq. (3), is a live hyperlink to the Eq. (3) of the permanent ver. 1 of the article, arXiv.org/pdf/2503.22972v1. Concepts and results that we believe are new, are marked red: for example, deterministic field theory.

version of July 21, 2025

For *temporal* evolution, in the *large volume* $T \to \infty$ limit our partition sum Z, Eq. (122), is Ruelle's 'partition function',[7] our functional W, Eq. (38), is Ruelle's 'pressure',[8] and our deterministic zeta function ζ, Eq. (135), is Ruelle's 'dynamical zeta function'[9] (for nomenclature, see ChaosBook remark 20.2 *'Pressure'*).

In the *spatiotemporal* theory, in the *large volume* $LT \to \infty$ limit our functional W is Grassberger's 'density of metric entropy'[10] and Politi, Torcini and Lepri's chronotopic 'entropy potential function'.[11–13] As had previously been done implicitly in cycle expansion calculations of observables,[14–16] Politi *et al.* compute expectation values of observables by Legendre transforms of W to appropriate 'effective actions' or 'Gibbs free energies'. Our spatiotemporal deterministic zeta function, as far as we know, is new.

In all previous spatiotemporal studies the large volume $LT \to \infty$ limits were estimated by simulations of finite volume lattices – think "Monte-Carlo". Our deterministic field theory is *ab initio* over infinite spacetime, there are no large volume limits to estimate. Our partition function Z sum over all Bravais lattices, our functional W, and our deterministic zeta function ζ are exact expansions in terms of exact prime orbit weights t_p – think "Feynman diagrams". That follows from the main advance of our Euclidean field theory of spatiotemporal chaos/turbulence, the functional determinant evaluations of infinite Bravais lattice stability exponentλ_c, Eq. (117), and multiplicative weight t_c, which, to best of our knowledge, do not appear in the earlier literature. Our deterministic field theory replaces numerical extrapolations of finite spacetime simulations of the 1990's chronotopy by the *exact* deterministic zeta function, with computable cycle expansion truncations errors, decreasing exponentially with the spatiotemporal volumes of periodic states included in its evaluation.

As we always follow Ruelle, who says this about 'pressure': "frankly the proper term ... should be free energy",[17,18] we provisorily settle for calling our function W, Eq. (38), the 'function W'.

A GUIDE TO THE READER

As our intended audience spans many disjoint specialties, from fluid dynamics to quantum field theory, the exposition entails much pedagogical detail.

To aid the reader, here we lay out the flow of the argument in the reverse, by starting with

Part I: Derivation

of the main result of the paper, the deterministic zeta function, Sec. XI *Chaotic field theory*,

$$\zeta = \prod_p \zeta_p \,, \qquad 1/\zeta_p = \phi(t_p) \,. \tag{3}$$

It follows from our deterministic partition sum, Eq. (122),

$$Z[\beta, z] \,=\, \sum_c t_c \,, \quad t_c \,=\, \left(e^{\beta\cdot a_c - \lambda_c}\, z\right)^{N_c} , \tag{122}$$

where λ_c is the stability exponent of deterministic solution Φ_c, Sec. X *Bravais lattice stability*, and z is a generating function variable. Each Φ_c is multi-periodic, Sec. VII A *Prime orbits over two-dimensional lattices* (see also Appendix B *Bravais sublattices*), and defines its Bravais lattice $\mathcal{L}_c$, Sec. VI *Bravais lattices*, with N_c the Bravais lattice volume. The prime orbits Φ_p are deterministic zeta function's Eq. (3) building blocks.

What is new is that the partition sum is over probabilities of deterministic field configurations, the exact solutions Φ_c of defining equations of the system, Sec. III *Deterministic field theory*, so the probability density is a porcupine of Dirac deltas, Fig. 2 (b),

$$\begin{aligned} Z_{\mathbb{A}}[\beta] &= \sum_c \int_{\mathcal{M}_c} d\Phi_{\mathbb{A}}\, \delta(F[\Phi])\, e^{\beta\cdot A_{\mathbb{A}}[\Phi]} \\ &= \sum_c \frac{1}{|\mathrm{Det}\mathcal{J}_{\mathbb{A},c}|}\, e^{\beta\cdot A_c} \,, \end{aligned} \tag{42}$$

The weight of the solution Φ_c is given by its orbit Jacobian $\mathrm{Det}\mathcal{J}_c$, Sec. V *Spatiotemporal stability of a periodic state*, the key innovation of our field theory of chaos and turbulence.

In Gutzwiller-Ruelle[7,19,20] temporal periodic orbit formulation of chaotic dynamics, orbit Jacobian is a determinant of a matrix, Sec. IX *Primitive cell stability*, evaluated over a finite number of lattice sites. Such weight is *not* multiplicative for orbit repeats, for example

$$\mathrm{Det}\,\mathcal{J}_{r*01} \neq \left(\mathrm{Det}\,\mathcal{J}_{01}\right)^r . \tag{109}$$

Our chaotic field theory, however, is formulated on the totality of infinite Bravais lattices, with infinite-dimensional orbit Jacobian operators $\mathcal{J}_p$, Fig. 9 (c). The orbit Jacobian is now a functional determinant, with stability exponent $\lambda_c = \ln \mathrm{Det}\mathcal{J}_p$ per lattice site evaluated by integrating Bloch bands over the Sec. VIII *Reciprocal lattice* first Brillouin zone,

$$\lambda \,=\, \frac{1}{(2\pi)^d} \int_{\mathbb{B}} dk^d \, \ln\left[\mathsf{p}(\mathsf{k})^2 + \mu^2\right] \,. \tag{112}$$

In contrast to Eq. (109), Bravais lattice weight is multiplicative, see Eq. (120), the essential property that underpins our derivation of deterministic zeta function Eq. (3).

So, the spatiotemporal deterministic zeta function is beautiful enough to grace a T-shirt. But no child is born understanding a zeta function.

Part II: Applications

To make it tangible, we define its essential ingredients in Sec. I *Lattice field theory*, and introduce in Sec. IV *Examples of spatiotemporal lattice field theories*, in particular the simplest of chaotic field theories that captures the essence of spatiotemporal chaos, the piecewise linear Sec. IV A *Spatiotemporal cat*, a discretization of the Klein-Gordon equation,

$$(-\Box + \mu^2)\,\Phi - \mathsf{M} = 0 \,. \tag{4}$$

Its history is reviewed and credits given in Appendix A 1 *Spatiotemporal cat*, and our calculations are summarized in Appendix C *Computation of spatiotemporal cat periodic states*.

Dynamical zeta functions convergence is in part due to periodic orbits shadowing, ChaosBook Sec. 23.1 *Pseudocycles and shadowing*. In Sec. XII *Shadowing* we show that spatiotemporal periodic states also shadow each other.

The piecewise linear spatiotemporal cat Eq. (4) is too simple to illustrate the band structure of orbit Jacobians. In Appendix D *Spectra of orbit Jacobian operators for nonlinear field theories*, we give a glimpse of calculations undertaken in the companion paper III.[6]

In summary, every section of this paper is necessary to derive, or illustrate the main result, our deterministic zeta function Eq. (3). We see no way of splitting the derivation into several self-contained short papers or references to literature. Hence, a paper that is long. Even this overview is too long.

REFERENCES

[1] F. Christiansen, P. Cvitanović, and V. Putkaradze, "Spatiotemporal chaos in terms of unstable recurrent patterns," Nonlinearity **10**, 55–70 (1997).

[2] J. F. Gibson, J. Halcrow, and P. Cvitanović, "Visualizing the geometry of state-space in plane Couette flow," J. Fluid Mech. **611**, 107–130 (2008).

[3] N. B. Budanur, K. Y. Short, M. Farazmand, A. P. Willis, and P. Cvitanović, "Relative periodic orbits form the backbone of turbulent pipe flow," J. Fluid Mech. **833**, 274–301 (2017).

[4] M. N. Gudorf, *Spatiotemporal Tiling of the Kuramoto-Sivashinsky Equation*, Ph.D. thesis, School of Physics, Georgia Inst. of Technology, Atlanta (2020).

[5] S. D. V. Williams, M. N. Gudorf, and D. M. Orlov, "Understanding plasma turbulence through exact coherent structures," (2025).

[6] S. D. V. Williams, X. Wang, H. Liang, and P. Cvitanović, "Nonlinear chaotic lattice field theory," (2025), in preparation.

[7] D. Ruelle, *Thermodynamic Formalism: The Mathematical Structure of Equilibrium Statistical Mechanics*, 2nd ed. (Cambridge Univ. Press, Cambridge, 2004).

[8] D. Ruelle, "Statistical mechanics on a compact set with Z^ν action satisfying expansiveness and specification," Bull. Amer. Math. Soc. **78**, 988–991 (1972).

[9] D. Ruelle, "Generalized zeta-functions for Axiom A basic sets," Bull. Amer. Math. Soc **82**, 153–157 (1976).

[10] P. Grassberger, "Information content and predictability of lumped and distributed dynamical systems," Phys. Scr. **40**, 346 (1989).

[11] S. Lepri, A. Politi, and A. Torcini, "Chronotopic Lyapunov analysis. I. A detailed characterization of 1D systems," J. Stat. Phys. **82**, 1429–1452 (1996).

[12] S. Lepri, A. Politi, and A. Torcini, "Chronotopic Lyapunov analysis. II. Towards a unified approach," J. Stat. Phys. **88**, 31–45 (1997).

[13] S. Lepri, A. Politi, and A. Torcini, "Entropy potential and Lyapunov exponents," Chaos **7**, 701–709 (1997).

[14] P. Cvitanović, P. Gaspard, and T. Schreiber, "Investigation of the Lorentz gas in terms of periodic orbits," Chaos **2**, 85–90 (1992).

[15] P. Cvitanović, "Dynamical averaging in terms of periodic orbits," Physica D **83**, 109–123 (1995).

[16] P. Cvitanović, "Averaging," in *Chaos: Classical and Quantum*, edited by P. Cvitanović, R. Artuso, R. Mainieri, G. Tanner, and G. Vattay (Niels Bohr Inst., Copenhagen, 2025).

[17] H. H. Rugh, "Un interview de David Ruelle," Gaz. Math. **161**, 55–59 (2019).

[18] H. H. Rugh, "An interview with David Ruelle," EMS Newsletter **2020-3**, 21–24 (2020).

[19] M. C. Gutzwiller, *Chaos in Classical and Quantum Mechanics* (Springer, New York, 1990).

[20] P. Cvitanović, R. Artuso, R. Mainieri, G. Tanner, and G. Vattay, *Chaos: Classical and Quantum* (Niels Bohr Inst., Copenhagen, 2025).

[21] P. Cvitanović and H. Liang, "Appendix WKB quantization," in *Chaos: Classical and Quantum*, edited by P. Cvitanović, R. Artuso, R. Mainieri, G. Tanner, and G. Vattay (Niels Bohr Inst., Copenhagen, 2025).

[22] A. Politi and A. Torcini, "Towards a statistical mechanics of spatiotemporal chaos," Phys. Rev. Lett. **69**, 3421–3424 (1992).

[23] A. Politi and A. Torcini, "Periodic orbits in coupled Hénon maps: Lyapunov and multifractal analysis," Chaos **2**, 293–300 (1992).

[24] O. Biham and W. Wenzel, "Characterization of unstable periodic orbits in chaotic attractors and repellers," Phys. Rev. Lett. **63**, 819 (1989).

[25] M. N. Gudorf, "Orbithunter: Framework for Nonlinear Dynamics and Chaos," Tech. Rep. (School of Physics, Georgia Inst. of Technology, 2021).

[26] G. Parisi and Y. S. Wu, "Perturbation-theory without gauge fixing," Scientia Sinica **24**, 483–496 (1981).

[27] C. Beck, *Spatio-Temporal Chaos and Vacuum Fluctuations of Quantized Fields* (World Scientific, Singapore, 2002).

[28] A. S. Pikovsky, "Spatial development of chaos in nonlinear media," Phys. Lett. A **137**, 121–127 (1989).

[29] T. S. Biró, S. G. Matinyan, and B. Müller, *Chaos and Gauge Field Theory* (World Scientific, Singapore, 1994).

[30] C. Beck, "Chaotic quantization of field theories," Nonlinearity **8**, 423–441 (1995).

[31] B. Gutkin, L. Han, R. Jafari, A. K. Saremi, and P. Cvitanović, "Linear encoding of the spatiotemporal cat map," Nonlinearity **34**, 2800–2836 (2021).

[32] H. Liang and P. Cvitanović, "A chaotic lattice field theory in one dimension," J. Phys. A **55**, 304002 (2022).

[33] P. Cvitanović and H. Liang, "A chaotic lattice field theory in two dimensions," (2025).

[34] H. Liang and P. Cvitanović, "A derivation of Hill's formulas," (2025), in preparation.

[35] P. Gaspard, *Chaos, Scattering and Statistical Mechanics* (Cambridge Univ. Press, Cambridge, 1997).